

# Relaxed alternating projection methods

Andrzej Cegielski and Agnieszka Suchocka

*University of Zielona Góra, Poland*

## Abstract

Let  $A$  and  $B$  be nonempty, convex and closed subsets of a Hilbert space  $\mathcal{H}$ . In the practical considerations we need to find an element of the intersection  $A \cap B$  or, more general, to solve the following problem:

$$\text{find } a^* \in A \text{ and } b^* \in B \text{ such that } \|a^* - b^*\| = \inf_{a \in A, b \in B} \|a - b\|.$$

One of the important methods generating sequences which converge weakly to a solution of above problems is the von Neumann alternating projection method  $x_{k+1} = P_A P_B x_k$ . The method has found application in different areas of mathematics. These include probability and statistics, image reconstruction and intensity modulated radiation therapy, where the convex subsets are described by a large and sparse system of linear equations or inequalities.

We deal with generalization of the von Neumann alternating projection method of the form  $x_{k+1} = P_A(x_k + \lambda_k(x_k)(P_A P_B x_k - x_k))$ , where  $\text{Fix } P_A P_B \neq \emptyset$ . We give sufficient conditions for the weak convergence of the sequence  $(x_k)$  to  $\text{Fix } P_A P_B$  in the general case and in the case  $A$  is a closed affine subspace. We present also the results of preliminary numerical experiments.

## Keywords

Alternating projection method, Fejér monotonicity, Weak convergence.

## References

- Bauschke, H. and J. Borwein (1996). On projection algorithms for solving convex feasibility problems, *SIAM Rev.* 38, 367–426.
- Bauschke, H., F. Deutsch, H. Hundal, and S.-H. Park (2003). Accelerating the convergence of the method of alternating projection. *Trans. Amer. Math. Soc.* 355, 3433–3461.
- Burkholder, D.L. (1962). Successive conditional expectations of an integrable function. *Ann. Math. Statist.* 33, 887–893.

- Gurin, L.G., B.T. Polyak, and E.V. Raik (1967). The method of projection for finding the common point in convex sets. *Zh. Vychisl. Mat. i Mat. Fiz.*, 7, 1211–1228 (Russian). English translation in *USSR Comput. Math. Phys.* 7, 1–24.
- Hiriart-Urruty, J.-B. and C. Lemaréchal (1993). *Convex Analysis and Minimization Algorithms I*. Berlin: Springer-Verlag.
- Opial, Z. (1967). Weak convergence of the sequence of successive approximations for nonexpansive mappings. *Bull. Amer. Math. Soc.* 73, 591–597.
- Stark, H. and Y. Yang (1998). *Vector Space Projections. A Numerical Approach to Signal and Image Processing, Neural Nets and Optics*. New York: John Wiley & Sons.